

KEEP REENGINEERING, KEEP INNOVATING


## **Bezflow Nipple Watering System**

Bezflow Nipple Watering System is designed to provide hygiene and easy-maintain water supply to poultry farm.

In modern poultry production, Bezflow Nipple Watering Systems have proven to be reliable and hygienic for supplying drinking water. They can be composed of the following parts:

## Features:

- Economical cum quality design with low maintenance.
- 100cc/min high flow rate of watering can be achieved during grower stage.
- Orip cup will help to keep the litter dry.
- Optimum water pressure can be maintained by pressure regulator at all bird age.
- resistance components.
- Automatic flush end kit makes flushing simply and easy.



## **Technical Information**

Nipple Flow: Up to 100 cc/min

Rate

**Drip Cup** 

Recommended Broiler: 10 to 15

per nipple

Recommended Breeder: 8 to 10

per nipple

: 22 x 22 mm Square **PVC Pipe** 

: Included

14 feet / 4.27m per pipe

**Pressure Regulator** 

: Front or middle

arrangement with flush kit

Support Rail: Aluminum Profile for broiler


14 feet/ 4.27m per rail

GI Conduit Pipe diameter 26.7mm for breeder 10feet/3.5m per pipe

**End Vent Kit** 

: Auto Flush

Mid Vent Kit : Optional





## KEEP REENGINEERING, KEEP INNOVATING





pristine@pristine.com.my

Pristine Glory Sdn. Bhd.
Poultry Equipment Manufacturer
(Co. No.: 353246-W)

PT8638, Jalan Johan 2/6, Kawasan Perindustrian Pengkalan, Fasa 2, 31550 Pusing, Perak Darul Ridzuan, Malaysia